



太阳能产品认证证书

证书编号: CQC17024173276

申请人名称及地址

苏州欧姆尼克新能源科技有限公司
苏州工业园区唯新路 63 号

制造商名称及地址

苏州欧姆尼克新能源科技有限公司
苏州工业园区唯新路 63 号

生产企业名称及地址

苏州欧姆尼克新能源科技有限公司 (V018967)
苏州工业园区唯新路 63 号

产品名称和系列、规格、型号

光伏并网逆变器

Omniksol-17k-TL2、Omniksol-20k-TL2

产品标准和技术要求

NB/T32004-2013 (IIIa, 不含低电压穿越试验)

认证模式

产品型式试验+初次工厂检查+获证后监督

上述产品符合 CQC33-461239-2013 认证规则的要求, 特发此证。

发证日期: 2017 年 12 月 21 日

本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书, 证书首次颁发日期: 2017 年 07 月 04 日



主任: _____



中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>

T 0007844



SOLAR PRODUCT CERTIFICATE

CERTIFICATE NO.: CQC17024173276

NAME AND ADDRESS OF THE APPLICANT

Omnik New Energy Co.,Ltd.
No.63 Weixin Road SIP Suzhou China

NAME AND ADDRESS OF THE MANUFACTURER

Omnik New Energy Co.,Ltd.
No.63 Weixin Road SIP Suzhou China

NAME AND ADDRESS OF THE FACTORY

Omnik New Energy Co.,Ltd. (V018967)
No.63 Weixin Road SIP Suzhou China

PRODUCT NAME, MODEL AND SPECIFICATION

PV Grid-connected Inverter
Omniksol-17k-TL2、Omniksol-20k-TL2

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

NB/T32004-2013(IIIa, Without Low Voltage Ride Through Test)

TYPE OF CERTIFICATION SCHEMES

Type Testing of Product + Initial Factory Inspection + Follow up Factory Inspection

This is to certify that the above mentioned product(s) complies with the requirements of certification rules of CQC33-461239-2013 .

Valid from: Dec.21,2017

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body.

Date of original issued: Jul.04,2017



President: _____

A handwritten signature in black ink, appearing to read "Wang Kejiao".

Wang Kejiao



CHINA QUALITY CERTIFICATION CENTRE

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China

<http://www.cqc.com.cn>

T 0007844



太阳能产品认证证书

附 录

第 1 页 共 1 页

证书编号: CQC17024173276

纸 号: 7844

Omniksol-20k-TL2

直流输入:MPPT 电压范围 480-850Vdc,最大直流输入电压 1000Vdc,最大输入电流 22A/22A;
交流输出: 3/N/PE, 230/400V, 50Hz, Max. 29A, 额定交流输出功率 20kW;

Omniksol-17k-TL2,

直流输入:MPPT 电压范围 480-850Vdc,最大直流输入电压 1000Vdc,最大输入电流 22A/22A;
交流输出: 3/N/PE, 230/400V, 50Hz, Max. 26A, 额定交流输出功率 17kW;

注: 此附录与证书同时使用时有效。



主任: _____

A handwritten signature in black ink, written over a horizontal line.



中国质量认证中心

中国 北京 南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>